

Fluid Heads



Camgear provides a wide range of high quality fluid heads to video professionals, from lightweight DV&HDV to heavy studio cameras and film cameras.

All Camgear fluid heads are equipped with graded drag system and counterbalance system which ensures professionals fast cameras setup and easy operation.

It provides frictionless operation and stable and reliable performance over years against the extreme environment.

Working closely with professionals and keeping eyes on the marketing trend, Camgear always try to improve or upgrade their fluid heads, even the proven models. We continuously develop new products to bring more satisfaction to our customers.

V60 Studio



Specification

Model Number	V60 S
Payload Range	0-60 kgs/0-132 lbs
Camera Platform Type	V Plate
Sliding Range	180 mm/7.1 in
Counterbalance System	15 steps (1-10 & 5 Adjusting Levers)
Tilt & Pan Drag	10 steps (1-10)
Tilt & Pan Range	Tilt: +90/-60° / Pan: 360°
Operating Temperature Range	-40°C to +60°C/-40 to +140°F
Levelling Bubble	Illuminated Leveling Bubble
Weight	15.52 kgs/34.2 lbs
Tripod Fitting	4-Bolt Flat Base

- ◆ Selectable 10 positions pan & tilt drag including zero position, offer operators the silky smooth movement, precise motion tracking and shake-free shot.
- ◆ Selectable 10 position counterbalance dial wheel plus center-added 5 more position support cameras or any weight between 0-60 kgs/0-132 lbs. Thank to 10+5 counterbalance position system, it can do much finer adjustment for the cameras now to reach the perfect counterbalance.
- ◆ Perfect solution for various OB and studio applications.
- ◆ Its balance plate has a sliding range of up to 180 mm / 7.1", allowing you to safely balance the camera at any tilt angle.
- ◆ It has easy-identified, direct-response and vibration-free tilt and pan brakes.
- ◆ Equipped the assembly lock mechanism, which ensures safe setup of equipment.

Accessories



Telescopic Pan Bar PB-3



Mitchell Adapter with Locking Knob



Wedge Plate WP-6



Travel Case

► Tripod System ► Flat Base ► Studio/OB

V60 Studio/OB Kit

Specification

Payload Range	0-60 kgs/0-132 lbs
Weight	31.68 kgs/69.8 lbs
Maximum Height	1.61 m/63.4 in
Minimum Height	1.03 m/40.6 in

System Configuration

V60 S Fluid Head

Camgear Studio/OB Heavy-Duty Tripod

Two PB-3 Telescopic Pan Bar (Left & Right)

MSP-3 Heavy-Duty Mid Level Spreader



Optional Accessories



Tripod Adapter TA-2



Dolly XL



Cine Ground
Spreader GS-3



Heavy-Duty
Ground Spreader GS-4

OB/Studio Tripod



- ◆ Single Stage flat base heavy-duty aluminium tripod.
- ◆ Very sturdy construction, high torsion rigidity, it ensures rock solid base for heavy cameras. It is an ideal solution for outside broadcasting and studio application.
- ◆ The built-in bubble and tripod leg scaling provide simple and precise leveling.
- ◆ It supports all common flat-base heads, including Mitchell fittings, which do not require any adapter.

Specification

Payload	170 kgs/308 lbs
Head Fitting	Flat base, Mitchell
Construction	Single Stage
Material	Aluminium
Weight	13.24 kgs/29.2 lbs
Height with Mid-spreader	78-135 cm/30.7-53.1 in
Transport Length	82 cm/32.3 in

Optional Accessories



Dolly XL



Cine Ground Spreader GS-3



Heavy-Duty Ground Spreader GS-4